



St Lawrence, C of E Primary School, Hurstpierpoint

## ASTHMA POLICY

### The school

- Recognises that asthma is a widespread, serious but controllable condition and the school welcomes all pupils with asthma.
- Ensures that pupils with asthma can and do participate fully in all aspects of school life, including art, PE, science, educational visits and out of hours activities.
- Recognises that pupils with asthma need immediate access to reliever inhalers at all times.
- Keeps a record of all pupils with asthma and the medicines they take.
- Endeavours to ensure that the whole school environment, including the physical, social, sporting and educational environment, is favourable to pupils with asthma.
- Ensures that all staff (including supply teachers and support staff) who have pupils with asthma in their care, know who those pupils are and know the school's procedure to follow in the event of an asthma attack

### Asthma medicines

Immediate access to reliever medicines is essential. Pupils with asthma are encouraged to carry their reliever inhaler as soon as the parent/carer, doctor/asthma nurse and class teacher agree they are mature enough. The reliever inhalers of younger children are kept in the classroom.

It is advised that the school is provided with a labelled, in date spare reliever inhaler. These are held in case the pupil's own inhaler runs out, or is lost or forgotten and are kept in the school office. All inhalers must be labelled with the child's name by the parent/carer.

If a parent/carer has stated that their child requires an inhaler in school but does not supply an **in-date inhaler**, the school will take the following action:

- Phone the parent/carer and request that the inhaler is brought into school without delay. The phone call will be logged on the pupil's Asthma Information Form (reverse side 'For Office Use' box). Further conversations may be appropriate, at the discretion of the school.
- If the parent/carer fails to supply the inhaler as requested, write to the parent using the example letter. This repeats the request for the inhaler and states that without the inhaler, in the event of an asthma attack, staff will be unable to follow the usual Asthma Emergency inhaler procedures and will be reliant on calling 999 and awaiting the Emergency Services. The letter will be filed with the child's asthma information form.

Insurance cover is in place for school staff who are suitably qualified either in terms of a particular condition or procedure, or in administering medicines when acting in accordance with this policy. All school staff will facilitate pupils to take their medicines when they need to.

### Record keeping

When a child joins the school, parents/carers are asked to declare any medical conditions (including asthma) that require care within school, for the school's records.

At the beginning of each school year, parents are requested to update details about medical conditions (including asthma) and emergency contact numbers.

All parents/carers of children with asthma are given an asthma information form to complete and return to school. From this information the school keeps its asthma records. All teachers know which children in their class have asthma. Parents are required to update the school about any change in their child's medication or treatment.

### **Exercise and activity - PE and games**

All children are encouraged to participate fully in all aspects of school life including PE. Children are encouraged/remembered to use their inhalers before exercise (if instructed by the parent/carer on the asthma form, see below) and during exercise if needed. Staff are aware of the importance of thorough warm up and down. Each pupil's inhaler will be labelled and kept in a box at the site of the lesson.

### **School Environment**

The school endeavours to ensure that the school environment is favourable to pupils with asthma. The school will take into consideration, any particular triggers to an asthma attack that an individual may have and will seek to minimise the possibility of exposure to these triggers.

### **Training**

School staff are trained to recognise the symptoms of worsening asthma, how to respond in an emergency and how to administer reliever medication (inhaler).

### **Asthma Attacks – School's Procedure**

In the event of an asthma attack, staff will follow the school procedure:

- Encourage the pupil to use their inhaler.
- Summon a first aider who will bring the pupil's Asthma Information Form and will ensure that the inhaler is used according to the dosage on the form  If the pupil's condition does not improve or worsens, the First Aider will follow the 'Emergency asthma treatment' procedures.
- The First Aider will call for an ambulance if there is no improvement in the pupil's condition.
- If there is any doubt about a pupil's condition an ambulance will be called.

### **Access and Review of Policy**

The Asthma Policy will be accessible to all staff and the community through the school's website. Hard copies can be obtained from the school office. This policy will be reviewed on a two yearly cycle.

Signed ..... (Chair of Governors)

Signed ..... (Head Teacher)

Dear Parent/Carer

### Asthma Information Form

Please complete the questions below so that the school has the necessary information about your child's asthma. **Please return this form without delay.**

CHILD'S NAME ..... Age ..... Class .....

1. Does your child need an inhaler in school? Yes/No

2. Please provide information on your child's current treatment. (Include the name, type of inhaler, the dose and how many puffs? Do they have a spacer?)

.....  
.....

3. What triggers your child's asthma?

.....

It is advised to have a spare inhaler in school. Spare inhalers may be required in the event that the first inhaler runs out, is lost or forgotten. Inhalers must be clearly labelled with your child's name and must be replaced before they reach their expiry date.

I agree to ensure that my child has in-date inhalers and a spacer (if prescribed) in school.

Signed:..... Date.....

I am the person with parental responsibility

Circle the appropriate statements

- My child carries their own inhaler.
- My child requires a spacer and I have provided this to the school office.
- My child does not require a spacer.
- I need to obtain an inhaler/spacer for school use and will supply this/these as soon as possible.

4. Does your child need a blue inhaler before doing exercise/PE? If so, how many puffs?

.....

5. Do you give consent for the following treatment to be given to your child as recognised by Asthma Specialists in an emergency?

- Give 6 puffs of the blue inhaler via a spacer.
- Reassess after 5 minutes
- If the child still feels wheezy or appears to be breathless they should have a further 4 puffs of the blue inhaler.
- Reassess after 5 minutes.
- If their symptoms are not relieved with 10 puffs of blue inhaler then this should be viewed as a serious attack:
- CALL AN AMBULANCE and CALL PARENT.
- While waiting for an ambulance continue to give 10 puffs of the reliever inhaler every few minutes

Yes/No

Signed:..... Date.....

I am the person with parental responsibility

Please remember to inform the school if there are any changes in your child's treatment or condition. Thank you

**Parental Update** (only to be completed if your child no longer has asthma)

My child: .....

no longer has asthma and therefore no longer requires an inhaler in school or on school visits.

Date:

**For office use:**

Signed

I am the person with parental responsibility

# Emergency Asthma Treatment

## Asthma attacks & wheeziness

Signs of worsening asthma:

- Not responding to reliever medication.
- Breathing faster than usual.
- Difficulty speaking in sentences.
- Difficulty walking/lethargy.
- Pale or blue tinge to lips/around the mouth.
- Appears distressed or exhausted

➤ Give 6 puffs of the blue inhaler via a spacer

➤ Reassess after 5 minutes

➤ If the child still feels wheezy or appears to be breathless they should have a further 4 puffs of the blue inhaler

➤ Reassess after 5 minutes

➤ If their symptoms are not relieved with 10 puffs of blue inhaler then this should be viewed as a serious attack:

➤ CALL AN AMBULANCE and CALL PARENT

➤ While waiting for an ambulance continue to give 10 puffs of the reliever inhaler every few minutes

Last review date: February 2017

Next review date: February 2019